04.11.2026

Sehr geehrte Damen und Herren,

wir bestätigen Ihnen, dass alle von der W+P PRODUCTS GmbH gelieferten Steckverbinder und Kabelkonfektionen der aktuellen Richtlinie RoHS 2011/65/EU und deren aktuellen Anhängen oder RoHS Erweiterungen (2015/863) entsprechen.

Für im W+P PRODUCTS GmbH Katalog als Präzisions-Buchsenleisten, D-Subs, IC-Fassungen/IC-Leisten und Schrauben-Bolzen bezeichnete Serien wird die RoHS Ausnahme, Anhang 6a.I/6c, „Kupferlegierungen mit einem Massenanteil von bis zu 0,35 % Blei / 4% Blei" in Anspruch genommen.

Andere RoHS Ausnahmen werden nicht benutzt.

Eine Aufstellung der entsprechenden W+P Serien finden Sie in der Anlage.

Einige D-Sub Serien benutzen erst durch den Einsatz von Schrauboptionen die RoHS Ausnahme 6c oder 6a.I .
In der Spalte "No RoHS Exemption" finden Sie bereits lieferbare Alternativen, welche ohne die Benutzung der RoHS Ausnahmen gefertigt werden.

Mit freundlichen Grüßen

Peter Schneider
Leiter Qualitätssicherung

(Dieses Dokument ist gültig ohne Unterschrift)

ROHS Exemption 6c/6a ;- Lead (CAS: 7439-92-1) over 0,1% (w/w)
Lead concentration in W+P PRODUCTS series is max. 4 % for copper alloys (6c)
and max. 0,35 % for steel alloys (6a.l)
Mounting option: Last position on item number: - 0- without mounting / 1-CL: mounting option (if available)

All informations also apply for W+P "46-XXXX" economic series.

W+P Series	SVHC component	ROHS Exemption	No RoHS Exemption
W100	Contact	6c	
WA100	Contact	6c	
W101	Contact	6c	
102 without mounting option	Contact	6c	
102 with mounting option	Contact, screws, bolts	6c	
W102	Contact, screws, bolts	6c	
W109	Contact, screws, bolts	6c	
W110	Contact, screws, bolts	6c	
W112	Contact, screws, bolts	6c	
WA112	Contact, screws, bolts	6c	
153	Sleeve	6c	153 -Option LF21
153C	Sleeve	6c	153C-Option LF21
153PF	Sleeve	6c	
153PF-38	Sleeve	6c	
154	Sleeve	6c	154-Option LF21
155	Sleeve	6c	155-Option LF21
155C	Sleeve	6c	
164	Contact	6c	164-Option LF21
169	Sleeve	6c	169-Option LF21
169C	Sleeve	6c	
170	Sleeve	6c	170-Option LF21
172	Sleeve	6c	172-Option LF21
174	Sleeve	6c	174-Option LF21
175	Contact	6c	175-Option LF21
176	Contact	6c	176-Option LF21
178	Contact	6c	178-Option LF21
181	Sleeve	6c	181-Option LF21
182	Sleeve	6c	182-Option LF21
182C	Sleeve	6c	
182PF	Sleeve	6c	
184	Sleeve	6c	184-Option LF21
186	Sleeve	6c	186-Option LF21
187	Sleeve	6c	187-Option LF21
188	Contact	6c	188-Option LF21
189	Contact	6c	189-Option LF21
191	Contact	6c	191-Option LF21
253	Sleeve	6c	253-Option LF21
253C	Sleeve	6c	
254	Sleeve	6c	254-Option LF21
255	Sleeve	6c	255-Option LF21
255C	Sleeve	6c	
256	Sleeve	6c	256-Option LF21
257	Sleeve	6c	257-Option LF21
300 without mounting option	Contact	6c	
300 with mounting option	Contact, screws, bolts	6c	
307	Screw	6c	
W307	Screw	6c	
308	Screw	6a	
309	Screw	6a	
315	Sleeve	6c	315-Option LF21
322	Sleeve	6c	322-Option LF21
325	Sleeve	6c	
326	Sleeve	6c	
327	Sleeve	6c	
330	Contact	6c	330-Option LF21

ROHS Exemption 6c/6a ; Lead (CAS: 7439-92-1) over 0,1% (w/w)
Lead concentration in W+P PRODUCTS series is max. 4 % for copper alloys (6c)
and max. 0,35 % for steel alloys (6a.l)

Mounting option: Last position on item number: - 0- without mounting / 1-CL: mounting option (if available)

All informations also apply for W+P "46-XXXX" economic series.

W+P Series	SVHC component	ROHS Exemption	No RoHS Exemption
354	Screw	6c	
363	Screw	6a	
364	Screw	6a	364-Option LF21
661-5	Housing	6c	
881-1 bis 886-1	Contact, Housing	6c	
881-2 bis 886-2	Contact, Housing	6c	
881-3 bis 886-3	Contact, Housing	6c	
881-5 bis 886-5	Contact, Housing	6c	
881-6 bis 886-61	Contact, Housing	6c	
822-01-WFA	Screw	6c	
822-02-RZB	Screw	6c	
822-02-REA	Screw	6c	
822-03-PAA	Screw	6c	
822-03-PJB	Screw	6c	
822-03-PNC	Thread	6c	
822-03-PJC	Screw	6c	
822-03-PJA	Screw	6c	
822-03-PBA	Screw	6c	
822-06-305BH	Screw	6c	
822-06-305TP	Screw	6c	
823	Contact	6c	
854	Screw	6c	
881-1	Housing and Contact	6c	
881-2	Housing and Contact	6c	
881-5	Housing and Contact	6c	
881-6	Housing and Contact	6c	
882-1	Housing and contact	6c	
882-2	Housing and contact	6c	
882-3	Housing and contact	6c	
882-5	Housing and contact	6c	
882-6	Housing and contact	6c	
W901	Screw	6c	
902 without mounting option	Contact	6c	
902 with mounting option	Contact, screws, bolts	6c	
905	Screw	6c	
906	Screw	6c	
909	Screw	6c	
963	Screw	6c	
1531	Sleeve	6c	1531-Option LF21
1532	Sleeve	6c	1532-Option LF21
1533	Sleeve	6c	1533-Option LF21
1534	Sleeve	6c	1534-Option LF21
1535	Sleeve	6c	1535-Option LF21
1551	Sleeve	6c	1551-Option LF21
1551C	Sleeve	6c	
1552	Sleeve	6c	1552-Option LF21
3230	Sleeve	6c	3230-Option LF21
3232	Contact	6c	3232-Option LF21
3233	Contact	6c	3233-Option LF21
3234	Contact	6c	3234-Option LF21
3240	Sleeve	6c	3240-Option LF21
3242	Contact	6c	3242-Option LF21
5251	Male Contact /Female-sleeve	6c	
5252	Male Contact /Female-sleeve	6c	
5255	Male Contact /Female-sleeve	6c	

ROHS Exemption 6c/6a ; Lead (CAS: 7439-92-1) over 0,1% (w/w)
Lead concentration in W+P PRODUCTS series is max. 4 % for copper alloys (6c)
and max. 0,35 % for steel alloys (6a.l)

Mounting option: Last position on item number: - 0- without mounting / 1-CL: mounting option (if available)

All informations also apply for W+P "46-XXXX" economic series.

W+P Series	SVHC component	ROHS Exemption	No RoHS Exemption
5260	Male Contact /Female-sleeve	6c	
6610	Housing / Nut	6c / 6a	
7063	Contact	6c	7063-Option LF21
7090	Sleeve	6c	7090-Option LF21
7452	Sleeve	6c	7452-Option LF21
7452C	Sleeve	6c	

W+P Series concerned only with mounting options (Screws, Bolts)

ROHS Exemption 6c ; Lead (CAS: 7439-92-1) over 0,1% (w/w)
Lead concentration in W+P PRODUCTS series is max. 4 % for copper alloys (6c)
and max. 0,35 % for steel alloys (6a.l)
All informations also apply for W+P "46-XXXX" economic series.

W+P Series	SVHC Component	Mounting option	No RoHS Exemption
105 only with mounting option	Screws, bolts	B1, B2, 1,2,3,4,5,6	
106 only with mounting option	Screws, bolts	BL, CL, B1, B2, 1,2,3,4,5,6	106-Option LF21
107 only with mounting option	Screws, bolts	Bolts -10- ; -20-	107-Option LF21
108 only with mounting option	Screws, bolts	BL, CL, B1, B2, 1,2,3,4,5,6	
109 only with mounting option	Screws, bolts	BL, CL, B1, B2, 1,2,3,4,5,6	
110 only with mounting option	Screws, bolts	Bolts -10- ; -20-	
111 only with mounting option	Screws, bolts	Bolts -10- ; -20-	111-Option LF21
114 only with mounting option	Screws, bolts	10, UNC 4-40	
114-6 only with mounting option	Screws, bolts	10- UNC 4-40 / -20- M3	
115 only with mounting option	Screws, bolts	BL, CL, B1, B2, 1,2,3,4,5,6	
116 only with mounting option	Screws, bolts	BL, CL, B1, B2, 1,2,3,4,5,6	
346 only with mounting option	Screws, bolts	Bolts -10- ; -20-	
347 only with mounting option	Screws, bolts	Bolts -10- ; -20-	
901 only with mounting option	Screws, bolts	BL, CL	
908 only with mounting option	Screws, bolts	Bolts -38-	
1141 only with mounting option	Screws, bolts	- 10 - ; UNC 4-40	
5270 only with mounting option	Screws, bolts	- 20 - ; UNC 4-40	