

Sehr geehrte Damen und Herren,

**wir bestätigen Ihnen, dass alle von der W+P PRODUCTS GmbH
gelieferten Steckverbinder und Kabelkonfektionen der aktuellen
Richtlinie RoHS 2011/65/EU und deren aktuellen Anhängen
oder RoHS Erweiterungen (2015/863) entsprechen.**

**Für im W+P PRODUCTS GmbH Katalog als Präzisions-Buchsenleisten,
D-Subs, IC-Fassungen/IC-Leisten und Schrauben-Bolzen bezeichnete Serien wird
die RoHS Ausnahme, Anhang 6a/6c, „Kupferlegierungen mit einem
Massenanteil von bis zu 0,35 % Blei/ 4% Blei“ in Anspruch genommen.
Andere RoHS Ausnahmen werden nicht benutzt.**

Eine Aufstellung der entsprechenden W+P Serien finden Sie in der Anlage.

**Einige D-Sub Serien benutzen erst durch den Einsatz von Schrauboptionen
die ROHS –Ausnahme 6c oder 6a. Fragen Sie hier unseren Vertrieb nach der
Möglichkeit einer - LF21- Schrauboption. Hiermit kann der ROHS konforme
Status ohne Ausnahme 6c oder 6a erhalten werden.**

**Als Hersteller von elektronischen Einzelkomponenten, welche
nicht an den Endverbraucher als fertiges Produkt ausgeliefert werden,
entfällt eine CE-Kennzeichnung nach Artikel 7c der Richtlinie 2011/65 EU.**

**Unsere Zulieferer sind entsprechend der Richtlinie vertraglich verpflichtet
uns entsprechend konform der Richtlinie RoHS 2011/65/EU zu beliefern.**

Mit freundlichen Grüßen

**Peter Schneider
Leiter Qualitätssicherung**

(Dieses Dokument ist gültig ohne Unterschrift)

ROHS Exemption 6c/6a ; - Lead (CAS: 7439-92-1) over 0,1% (w/w)

Lead concentration in W+P PRODUCTS series is max. 4 % for copper alloys (6c)

and max. 0,35 % for steel alloys (6a)

Mounting option: Last position on item number: - 0- without mounting / 1-CL: mounting option (if availab

Page: 2/4

All informations also apply for W+P "46-XXXX" economic series.

W+P Series	SVHC component	ROHS Exemption
100 without mounting option	Contact	6c
100 with mounting option	Contact, screws, bolts	6c
W100	Contact	6c
WA100	Contact	6c
101 without mounting option	Contact	6c
101 with mounting option	Contact, screws, bolts	6c
W101	Contact	6c
102 without mounting option	Contact	6c
102 with mounting option	Contact, screws, bolts	6c
W102	Contact, screws, bolts	6c
W109	Contact, screws, bolts	6c
W110	Contact, screws, bolts	6c
W112	Contact, screws, bolts	6c
WA112	Contact, screws, bolts	6c
153	Sleeve	6c
153C	Sleeve	6c
153PF	Sleeve	6c
153PF-38	Sleeve	6c
154	Sleeve	6c
155	Sleeve	6c
155C	Sleeve	6c
164	Contact	6c
169	Sleeve	6c
169C	Sleeve	6c
170	Sleeve	6c
171	Sleeve	6c
172	Sleeve	6c
174	Sleeve	6c
175	Contact	6c
176	Contact	6c
178	Contact	6c
181	Sleeve	6c
182	Sleeve	6c
182C	Sleeve	6c
182PF	Sleeve	6c
184	Sleeve	6c
186	Sleeve	6c
187	Sleeve	6c
188	Contact	6c
189	Contact	6c
191	Contact	6c
253	Sleeve	6c
253C	Sleeve	6c
254	Sleeve	6c
255	Sleeve	6c
255C	Sleeve	6c
256	Sleeve	6c
257	Sleeve	6c
300 without mounting option	Contact	6c
300 with mounting option	Contact, screws, bolts	6c
307	Screw	6c
W307	Screw	6c
308	Screw	6a
309	Screw	6a
315	Sleeve	6c
322	Sleeve	6c

ROHS Exemption 6c/6a ; Lead (CAS: 7439-92-1) over 0,1% (w/w)
Lead concentration in W+P PRODUCTS series is max. 4 % for copper alloys (6c)
and max. 0,35 % for steel alloys (6a)

Mounting option: Last position on item number: - 0- without mounting / 1-CL: mounting option (if availab
All informations also apply for W+P "46-XXXX" economic series.

Page: 3/4

W+P Series	SVHC component	ROHS Exemption
325	Sleeve	6c
326	Sleeve	6c
327	Sleeve	6c
330	Contact	6c
354	Screw	6c
355	Contact	6c
363	Screw	6a
364	Screw	6a
425	Contact	6c
636 without mounting option	Contact	6c
636 with mounting option	Contact, screws, bolts	6c
637	Contact	6c
661-5	Housing	6c
881-1 bis 886-1	Contact, Housing	6c
881-2 bis 886-2	Contact, Housing	6c
881-3 bis 886-3	Contact, Housing	6c
881-5 bis 886-5	Contact, Housing	6c
881-6 bis 886-61	Contact, Housing	6c
822-01-WFA	Screw	6c
822-02-RZB	Screw	6c
822-02-REA	Screw	6c
822-03-PJB	Screw	6c
822-03-PNC	Screw	6c
822-03-PJC	Screw	6c
822-03-PJA	Screw	6c
822-03-PBA	Screw	6c
822-03-PAH	Screw	6c
822-06-305BH	Screw	6c
822-06-305TP	Screw	6c
823	Contact	6c
854	Screw	6c
856	Screw	6c
857	Screw	6c
858	Screw	6c
881-1	Housing and Contact	6c
881-2	Housing and Contact	6c
881-5	Housing and Contact	6c
881-6	Housing and Contact	6c
882-1	Housing and contact	6c
882-2	Housing and contact	6c
882-3	Housing and contact	6c
882-5	Housing and contact	6c
882-6	Housing and contact	6c
W901	Screw	6c
902 without mounting option	Contact	6c
902 with mounting option	Contact, screws, bolts	6c
905	Screw	6c
906	Screw	6c
909	Screw	6c
963	Screw	6c
1531	Sleeve	6c
1532	Sleeve	6c
1533	Sleeve	6c
1534	Sleeve	6c
1535	Sleeve	6c
1551	Sleeve	6c
1551C	Sleeve	6c
1552	Sleeve	6c
3230	Sleeve	6c
3232	Contact	6c
3233	Contact	6c
3234	Contact	6c

ROHS Exemption 6c/6a ; Lead (CAS: 7439-92-1) over 0,1% (w/w)
Lead concentration in W+P PRODUCTS series is max. 4 % for copper alloys (6c)
and max. 0,35 % for steel alloys (6a)

Mounting option: Last position on item number: - 0- without mounting / 1-CL: mounting option (if availab
All informations also apply for W+P "46-XXXX" economic series.

Page: 3/4

W+P Series	SVHC component	ROHS Exemption
3240	Sleeve 6c	
3242	Contact 6c	
5251	Male Contact /Female-sleeve 6c	
5252	Male Contact /Female-sleeve 6c	
5255	Male Contact /Female-sleeve 6c	
5260	Male Contact /Female-sleeve 6c	
6610	Housing / Nut 6c / 6a	
7063	Contact 6c	
7090	Sleeve 6c	
7452	Sleeve 6c	
7452C	Sleeve 6c	

W+P Series concerned only with mounting options (Screws, Bolts)

ROHS Exemption 6c ; Lead (CAS: 7439-92-1) over 0,1% (w/w)
Lead concentration in W+P PRODUCTS series is max. 4 % for copper alloys (6c)
and max. 0,35 % for steel alloys (6a)
All informations also apply for W+P "46-XXXX" economic series.

Page: 4/4

W+P Series	SVHC Component	Mounting option
105 only with mounting option	Screws, bolts	B1, B2, 1,2,3,4,5,6
106 only with mounting option	Screws, bolts	BL, CL, B1, B2, 1,2,3,4,5,6
107 only with mounting option	Screws, bolts	Bolts -10- ; -20-
108 only with mounting option	Screws, bolts	BL, CL, B1, B2, 1,2,3,4,5,6
109 only with mounting option	Screws, bolts	BL, CL, B1, B2, 1,2,3,4,5,6
110 only with mounting option	Screws, bolts	Bolts -10- ; -20-
111 only with mounting option	Screws, bolts	Bolts -10- ; -20-
114 only with mounting option	Screws, bolts	10, UNC 4-40
114-6 only with mounting option	Screws, bolts	10- UNC 4-40 / -20- M3
115 only with mounting option	Screws, bolts	BL, CL, B1, B2, 1,2,3,4,5,6
116 only with mounting option	Screws, bolts	BL, CL, B1, B2, 1,2,3,4,5,6
346 only with mounting option	Screws, bolts	Bolts -10- ; -20-
347 only with mounting option	Screws, bolts	Bolts -10- ; -20-
908 only with mounting option	Screws, bolts	Bolts -38-
1141 only with mounting option	Screws, bolts	- 10 - ; UNC 4-40
5270 only with mounting option	Screws, bolts	- 20 - ; UNC 4-40